



महाराष्ट्र राज्य परीक्षा परिषद, पुणे.

महाराष्ट्र राज्य माध्यमिक आणि उच्च माध्यमिक शिक्षण मंडळ कार्यालय इमारत
(दुसरा व चौथा मजला) सर्व्हे नं. ८३२ ए, शिवाजीनगर पुणे ४११००४

दूरध्वनी क्र. :- ०२०- २९७०९६१७ वेबसाइट :- mscepune.in ई-मेल :- mscepune@gmail.com



दरपत्रक सूचना

जा.क्र./मरापप/भांडार/गोडाऊन/2024/1369

दिनांक : 12/07/2024

प्रति,

विषय - महाराष्ट्र राज्य परीक्षा परिषदेच्या भांबुर्डा, शिवाजीनगर, पुणे - 04 परिषदेच्या जागेत तात्पुरते पत्र्याचे शेड बांधणेबाबत..

महाराष्ट्र राज्य परीक्षा परिषदेच्या नवीन प्रशासकीय इमारत बांधकाम प्रित्यर्थ परिषदेचे स्थलांतर महाराष्ट्र राज्य माध्यमिक व उच्च माध्यमिक शिक्षण मंडळ कार्यालय इमारत (दुसरा व चौथा मजला) भांबुर्डा, शिवाजीनगर, पुणे - 04 या ठिकाणी झालेले आहे. या ठिकाणच्या शेजारील जागेवर परिषदेचे गोडाऊन आहे.

परिषदेच्या जागेवर तात्पुरते पत्र्याचे गोडाऊन बांधण्यात आलेले आहे. सदरच्या गोडाऊनमध्ये साहित्य टेवण्यास अपुरे पडत असल्याने, त्याचे शेजारील जागेवर COEP यांचे तांत्रिक सल्ल्यानुसार सोबत दिलेल्या तपशीलानुसार पत्र्याचे शेड बांधावयाचे आहे. आपण स्वतः कामाच्या ठिकाणाची व साहित्याची प्रत्यक्ष पहाणी करूनच दरपत्रके भरावीत. तसेच सदरचे क्षेत्र सपाटीकरण व कोंक्रीटीकरण करूनच पत्र्याचे शेड उभे करावयाचे आहे. जेणेकरून या जागेत परिषदेच्या पेटया, लोखंडी रॅक व इतर साहित्य टेवण्यात येणार आहे. शेड उभारणेकामी आवश्यक पत्रे व लोखंडी साहित्य उपलब्ध आहे. सदर साहित्याशिवाय आणखी स्टील लागणार असे गृहित धरूनच तसेच आवश्यक इतर साहित्य तपशीलासह दरपत्रके सादर करावीत.

तांत्रिक कागदपत्रे तपशील पुढीलप्रमाणे सादर करणे आवश्यक :

1. सेवा पुरवण्याबाबत संबंधित विभागाकडून सक्षम अधिकारी यांनी दिलेला परवाना.
2. वस्तु व सेवा कर प्रमाणपत्र.
3. संबंधित संस्था चालकाचे आधार व पॅन.
4. मागील वर्षाचे ITR.

दरपत्रक पाकिटांवर "परिषदेच्या पुणे - 04 येथील गोडाऊनचे शेजारील जागेत पत्रे व लोखंडी साहित्य वापरून तात्पुरते पत्र्याचे शेड उभारणेबाबत" असा स्पष्ट उल्लेख करावा. दरपत्रक व तांत्रिक लिफाफा दोनही स्वतंत्र पाकिटे वेळेत द्यावीत. दरपत्रक व्यतिरिक्त संस्थेचा शासन मान्यता परवाना, GST क्रमांक, मागील वर्षाचे ITR, आधार व पॅन इ. आवश्यक तांत्रिक कागदपत्रे स्वतंत्रपणे बंद पाकिटांमध्ये सादर करावीत. दरपत्रक बंद पाकिटांमध्ये दि. / /2024 रोजी, सायं. 5.00 पर्यंत परिषदेच्या उक्त पत्त्यावर हस्तपोच आणून द्यावीत.

(अनुराधा ओक)

आयुक्त

महाराष्ट्र राज्य परीक्षा परिषद, पुणे-04

Name of Work - Proposed Temporary Shed for MSCE Pune - Part 2 at Bhamburda, Pune

Sr.No.	Item No	Description	Ref	Unit	Rate	Qty	Amount
1	21.33	Labour charges for removing grass, thorny shrubs, Jungli shrub, Kubabul and alike grass along roadside making the ground clean by shovel and phavaras etc. complete.	SSR PWD 2022-23	sq.m.		120.00	
2	21.02	Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50 m. beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary back filling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.5 m.) By Mechanical Means (SSR 21.02 BDA 1)	SSR PWD 2022-23	cu.m.		18.90	
3	24.01	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/ granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	SSR PWD 2022-23	cu.m.		1.58	
4	25.11	Providing and laying in situ /Ready Mix cement concrete M-20 of trap / granite /quartzite/ gneiss metal for R.C.C. work in foundations like raft, strip foundations, grillage and footings of R.C.C. columns and steel stanchions etc. including bailing out water, Steel centering formwork, laying/pumping cover blocks, compaction and curing roughening the surface if special finish is to be provided (Excluding reinforcement and structural steel) etc. complete, with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	SSR PWD 2022-23	cu.m.		4.03	
5	25.31	Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap / granite /quartzite/ gneiss metal for R.C.C. columns as per detailed designs and drawing or as directed including steel centering, formwork, cover blocks, laying/pumping, compaction finishing the formed surfaces with cement mortar 1:3 of sufficient minimum thickness to give a smooth and even surface or roughening if special finish is to be provided and curing etc. complete.(Excluding reinforcement and structural steel).with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	SSR PWD 2022-23	cu.m.		0.57	
6	25.50	Providing and laying Cast in situ/Ready Mix cement concrete M-20 of trap / granite /quartzite/ gneiss metal for R.C.C. beams and lintels as per detailed designs and drawings or as directed including steel centering, formwork, cover blocks, laying/pumping, compactionand roughening the surface if special finish is to be provided and curing etc. complete. (Excluding reinforcement and structural steel). with fully automatic micro processor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade)	SSR PWD 2022-23	cu.m.		6.12	
7	33.30	Providing and laying in situ cement concrete M20 with tremix treatment for 100 mm thickness for flooring with groove cutting of 4mm wide and 20mm deep with necessary refilling with bitumen etc. complete.	SSR PWD 2022-23	sq.m.		120.00	
8	21.37	Filling in plinth and floors with contractors material/brought from outside and approved by Engineer incharge in layers of 15 cm to 20 cm including watering and compaction etc. complete.	SSR PWD 2022-23	cu.m.		132.00	
9	27.02	Providing first class Burnt Brick masonry with conventional/ I.S. type bricks in cement mortar 1:6 in plinth including bailing out water manually, striking joints on unexposed faces, pointing with cement mortar 1:3 on exposed face and watering etc. Complete. (Item No.27.02)	SSR PWD 2022-23	cu.m.		7.82	
10	32.11	Providing sand faced plaster externally in cement mortar using approved screened sand, in all positions including base coat of 15 mm thick in cement mortar 1:4 using waterproofing compound at 1Kilogramper cement bag curing the same for not less than 2 days and keeping the surface of the base coat rough to receive the sand faced treatment 6 to 8 mm thick in cement mortar 1:4 finishing the surface by taking out grains and curing for fourteen days scaffolding etc.complete.	SSR PWD 2022-23	sq.m.		34.00	
11	26.33	Providing and fixing in position TMT bar reinforcement of various diameters for R.C.C. pile caps, footings, foundations, slabs, beams columns, canopies, staircase, newels, chajjas, lintels pardis, copings, fins, arches etc. as per detailed designs, drawings and schedules. including cutting, bending, hooking the bars, binding with wires or tack welding and supporting as required complete.	SSR PWD 2022-23	MT		0.84	

12	23.07	Providing, fabricating and erecting at site of work the tubular steel structure (shed) as per standard design and specifications having various spans in between trusses and in multiples of standard length of bays as specified as per standard specifications, inclusive of cost of steel tubular trusses, tubular columns purlins, tie runners, foundation bolts, base plates, nuts and bolts, welding wherever required etc. as per detailed drawing inclusive of one coat of anticorrosive paint and two coats of oil painting of approved quality and shade etc. complete. Spec. Number : As directed by Engineer-in-charge.	SSR PWD 2022-23	MT		1.50	
13	38.34	Providing and fixing colour coated Zinalume (R) AZ150 (min 150 gms/sq.mt. total on each side) profiled sheets for roofing. The feed material is manufactured out of nominal 0.45 mm Base Metal Thickness (BMT) (0.5 mm TCT), Hi-strength steel with min.550 MPa yield strength, metallic hot dip coated with Aluminium-Zinc alloy (55% aluminium 43.4% zinc 1.6% silicon) with COLORBOND (R) steel quality super durable polyester paint coat (with inorganic pigment). The paint shall have a total coating thickness of nominal 35 um, comprising of nominal 25 um exterior coat on top surface and nominal 10 um reverse coat on back surface. Profile sheet shall have nom. 950-1050 mm effective cover width and nominal 25-30 mm deep ribs with subtle square fluting in the five pan at nominal 180-250 mm center- to-center. The end rib shall be designed for anti-capillary groove. and return leg. The feed material should have coil manufacturers product details marked a regular interval. Including fasteners with min. fastened with min. 25 um Zinc-Tin alloy coated, Hex head, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/Square Metre)	SSR PWD 2022-23	sq.m.		100.00	
14	51.95	Providing & fixing factory-made steel door of Single leaf Internal Plain Steel finish type with a.) frame of size 100x58 mm conforming to IS : 4351-2003, 1.2 mm thick pre galvanized sheet with mitred and welded cones, frame stretches, hinge reinforcing plates, fixing plates and hardware mounting plates	SSR PWD 2022-23	sq.m.		4.20	
15	1.1.9	Supplying & erecting HMS PVC conduit 25 mm. dia. with necessary accessories in wall/floor with chiselling appropriately as per specification No: WG-MA/CC.	CSR PWD 2022-23	m		65.00	
16	1.3.1	Supplying & erecting mains with 2x1.5 sq.mm F.R copper PVC insulated wire laid in provided conduit/trunking/inside pole/Bus bars or any other places as per specification No: WGMA/BW	CSR PWD 2022-23	m		200.00	
17	1.6.10	Supplying and erecting ISI mark modular type 3 pin 6 / 16A multi socket with safety shutter, duly erected on provided plate and box with wiring connections complete.	CSR PWD 2022-23	each		3.00	
18	2.1.21	Supplying & erecting LED 20W tube light fitting (4 feet) with aluminium housing, heat sink, integrated HF electronic driver complete.	CSR PWD 2022-23	each		8.00	
19	2.14.13	Supplying and erecting LED flood light fitting of 50W, including lamp, with PF > 0.95, class IP 65 and above class IP 65 and above housing of pressure die cast aluminium alloy and heat sink extruded aluminium complete as per specification No FG-ODF/FLS-2	CSR PWD 2022-23	each		3.00	
20	5.4.17	Supplying & erecting triple pole and neutral distribution board (TPNDB) surface/ flush mounted SP / TP MCB of 36 poles/12 ways on iron / GI frame (vertical busbar type) as per specification no. SWSWR/ MCBDB	CSR PWD 2022-23	each		1.00	
			Sub Total				
			GST 18%				
			Total				